


AMP DRAW: 0.1A
 IUMENS: 150 (WHITE)

UNLESS OTHERWISE SPECIFIED
 DIMENSIONS ARE IN INCHES
 TOLERANCES ARE:
 DECIMALS ANGLES
 .X ±0.020 X° ±1.0°




CE45-W010



AMP DRAW: 0.2A
 LUMENS: 300 (WHITE)

| | | |
|---|--------------------|--|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: | |  TecNiq <i>Changing the Shape of Light</i> |
| DECIMALS .X ±0.020 | ANGLES X° ±1.0° | |
| | | CE45-W020 |




24.92

0.55

0.23

AMP DRAW: 0.5A
LUMENS: 750 (WHITE)

| | | |
|---|--------------------|--|
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: | |  TecNiq <small>Cheering the Shape of Light</small> |
| DECIMALS .X ±0.020 | ANGLES X° ±1.0° | |
| | | CE45-W050 |



47.42

0.55

0.23

AMP DRAW: 0.98A
LUMENS: 1500 (WHITE)

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
TOLERANCES ARE:
DECIMALS .X ±0.020 ANGLES X° ±1.0°



CE45-W100